





Nudibranch Species Recorded in Yorkshire by the Conchological Society, Seasearch and Yorkshire Naturalists' Union

<u>Click here</u> to see the records on the NBN Gateway Interactive Map

Acanthodoris pilosa (Abildgaard in O F Müller, 1789)

Recorded at Runswick Bay, Boggle Hole, Saltwick Bay, Long Nab, Calf Allen Rocks, Castle Rocks, Red Cliff, Filey Brigg and the Holderness Coast.





Aeolidia papillosa (Linnaeus, 1761) Grey Sea Slug Recorded at South Bay, Cayton Bay and Robin Hood's Bay.





Aeolidiella glauca (Alder & Hancock, 1845) Recorded subtidally at Filey Brigg (north side).





Ancula gibbosa (Risso, 1818)

Recorded at Thornwick Bay, Flamborough





Archidoris pseudoargus (Rapp, 1827) Sea Lemon

Recorded at Runswick Bay, Robin Hood's Bay, Boggle Hole, Peak Steel, Cayton Bay, Red Cliff Rocks, Calf Allen Rocks, Crook Ness, Filey Brigg and Little Thornwick Bay.





Cadlina laevis (Linnaeus, 1767)

Recorded subtidally on the Holderness Coast





Coryphella browni (Picton, 1980)

Recorded subtidally at Filey





Coryphella gracilis (Alder & Hancock, 1844)

Recorded subtidally on the UC70 wreck off Whitby

Coryphella lineata (Lovén, 1846)

Recorded subtidally at Filey



Cuthona caerulea (Montagu, 1804)



Cuthona concinna (Alder & Hancock, 1843)

Recorded at Castle Rocks



Cuthona nana (Alder & Hancock, 1842)

Recorded at Filey Brigg

Diaphorodoris luteocincta (M Sars, 1870)

Recorded subtidally at Filey Brigg





Doto coronata (Gmelin, 1791) Recorded at North Bay, Scarborough



Eubranchus farrani (Alder & Hancock, 1844)





Eubranchus pallidus (Alder & Hancock, 1842)

Recorded subtidally at Calf Allen Rocks





Facelina auriculata (O F Müller, 1776)

Recorded at Cayton Bay, Filey Brigg and Calf Allen Rocks.





Flabellina pedata (Montagu, 1815)

Recorded subtidally on the Holderness Coast and Filey





Geitodoris planata (Alder and Hancock, 1846)

Recorded intertidally at Jackson's Bay and Burniston Bay (Whitaker, 2013 The Naturalist Vol. 138, No. 1083)



Photo by David Whitaker

Goniodoris nodosa (Montagu, 1808)

Recorded at Skinningrove, Runswick Bay, Boggle Hole, Cayton Bay, Scarborough Harbour, Buckton Cliffs, Calf Allen Rocks and Scalby.



Janolus cristatus (delle Chiaje, 1841)

Recorded subtidally at Filey, Bempton Cliffs, Holderness Coast, Little Thornwick Bay, Peak Steel, Calf Allen Rocks, Castle Rocks, Cow and Calf, Filey, Old Horse Rocks, Perilous Rocks and Red Cliff.



Jorunna tomentosa (Cuvier, 1804)

Recorded at Runswick Bay, Saltwick Bay, Boggle Hole, Robin Hood's Bay, Red Cliff and Filey.



Limacia clavigera (O F Müller, 1776) Orange-Clubbed Sea Slug

Recorded at Saltwick Bay, Robin Hood's Bay, Selwick's Bay, Cayton Bay, Filey, Long Nab, Old Horse Rocks, Perilous Rocks, Pursglove Stye.



Onchidoris bilamellata (Linnaeus, 1767)

Recorded at Saltwick Bay, Boggle Hole, Peak Steel, Long Nab, Scalby, Scarborough South Bay, Cayton Bay and Filey.



Onchidoris muricata (O F Müller, 1776)
Recorded at Saltwick Bay, Cloughton Wyke, Scalby and Cayton Bay



Onchidoris sparsa (Alder & Hancock, 1846) Recorded at Cayton Bay.

Palio dubia (M Sars, 1829)

Recorded subtidally at Filey.



Palio nothus (Johnston, 1838)



Polycera faeroensis (Lemche, 1929)

Recorded at Robin Hood's Bay, North Cliff, Selwick's Bay and the Holderness Coast.



Polycera quadrilineata (O F Müller, 1776)

Recorded at Runswick Bay, Robin Hood's Bay, Saltwick Bay, Selwicks Bay, Cow and Calf, Black Nab, Calf Allen Rocks, Red Cliff, Casty Rocks, Filey, Thornwick Bay.



Rostanga rubra (Risso, 1818)

First Yorkshire Record at Calf Allen Rocks, Scarborough by Anne Morrison, South Bay Scuba, July 2014




Photo by Anne Morrison

Opisthobranchs and Sacoglossans:

Berthella plumula (Montagu, 1803)

Recorded intertidally at Port Mulgrave and Cayton Bay.



Elysia viridis (Montagu, 1804)

Recorded at Runswick Bay and Boggle Hole.





Aplysia punctata (Cuvier, 1803)

Recorded at Saltwick Bay





Limapontia depressa (Alder and Hancock, 1862) Recorded on the Humber Estuary